



Artificial Intelligence Techniques for Detection as Well as Diagnosis of Cancer and Prediction of Mutations

¹S. Raviraja, ²Rakesh Nayak, ³M. Baby Anusha, ⁴Deepak Kumar Nayak, ⁵K. Tamilarasi, ⁶Syed Karimunnisa

¹Faculty of Computer Studies & IT, Professor and Dean, University of Garden City, Khartoum, Sudan, North Africa, drsraviraja@gmail.com

²Dept of CSE, Professor, O P Jindal University, Punjabpathra, Raigarh, rakesh.nayak@opju.ac.in

³Dept. of CSE, Assistant Professor, Rajiv Gandhi University of Knowledge Technologies, Nuzivid, Andhra Pradesh, anusha.medisetty@rguktn.ac.in

⁴Dept of ECE, Professor, Budge Budge Institute of Technology, nayakd990@gmail.com

⁵School of Computer Science and Engineering College, Assistant Professor (Senior Grade -1), VIT University (Chennai Campus) Chennai, India.tamilarasi.k@vit.ac.in

⁶Dept. of CSE, Assistant Professor, KoneruLakshmaiah Education Foundation, Vaddeswaram, Guntur.karimun1.syed@fmail.com

231

Abstract

Artificial intelligence (AI) is effectively making its way in medical research and individualised clinical care. The increasing availability datasets, coupled with increase in high-performance computing and novel deep learning architectures, has resulted in an increase in the use of AI in different aspects of oncology research. Cancer detection and classification, single - molecule characterization of tumours and their microenvironment, medicinal chemistry and repurposing, and predicting patient therapeutic efficacy are among the applications. We predict a paradigm shift in cancer care that will be deeply influenced by AI since these breakthroughs make their way into the clinic. In this study, we conducted an efficient finding and included research articles that used Artificial Intelligence based learning approaches for cancer prediction, diagnosis and prediction of mutations.

Keywords: Artificial Intelligence, Cancer, Tumor, Mutations, Deep Learning Models

1 INTRODUCTION

Cancer is derived from the Greek word *karkinos*, which implies crab and tumour. Cancer was first described in the 1600s and is defined as unusually living cells that can penetrate or spread to the rest of the body. Cancer metastasis is the unrestrained growth of cells that begins in one part of body and spreads to different organs of the body. Cancer cells are classified into benign and malignant cells. The benign cells do not spread to other organs, while malignant cells metastasize and are considered more destructive[2]. Due to huge mortality and rate of recurrence, its process of treatment is time taking and costly. To improve cancer patient survival, it is necessary to accurately diagnose, predict, and assess the formation of its mutations

early on[3]. It is a genetic disease caused by genetic genetic variations that control how our cells function, particularly how they grow and divide. Additional changes will happen as the tumour cells continue to grow[4]. In a summary, cancerous cells have more genetic changes than normal cells, such as DNA mutations[5,6]. Though the immune system generally eliminates damaged or abnormal cells from the body, cancer cells have the ability to hide from the immune system [7]. The immune system is also used by the tumour to grow and survive [8]. The identity of the type of cancer is based on where the cells of tumor grow; for example, lung cancer is cancer that begins in the lungs and spreads to the liver [9]. Brain tumor includes three predictive predictions: cancer risk analysis, cancer recurrence



prediction, and cancer survivability prediction. The probability of cancer occurrence is assessed first, followed by the prediction of cancer recurrence in the second step [10]. The final step is to forecast aspects such as advancement, mortality rates, tumor-drug sensitivity, and survivability [11]. The motivation for this study is the worldwide increase in cancer incidents and mortality. The major reasons are complex, but they depicts both population ageing and growth, as well as changes in the prevalence and distribution of the major cancer risk factors [12]. AI Technology (AI) is one of the great performance of computer science that was conceived in the 1940s[13]. AI has established its importance in advanced diagnostic kits by offering innovative opportunities for integrating the tools into the healthcare sector [15]. The goal of artificial intelligence is to investigate the relationships between therapeutic interventions and patient outcomes [18]. In research about cancer, AI has demonstrated the ability to improve the accuracy and increase the speed of diagnosis, as well as provide more reliable clinical decisions, resulting in better health outcomes [20,24]. AI provides unmatched cancer prediction accuracy that is higher than that of a statistical expert[28,30]. Thus, AI-based cancer detection designs can help in health care centres and assist the medical experts confirm their medical rulings without any hindrance[33,36]. As a result, the goal of this review is to highlight the contributions made by researchers of artificial intelligence techniques for cancer detection and diagnosis[37,38].

2 COMPLICATIONS OF CANCER AND CLINICAL APPLICATIONS

A. Cancer Applications

Cell has, DNA is packed into a number of various genes that contain steps that interact the cell operations. Cancer develops as a result of DNA mutations. Because of a mistake interruption in the sequence of phases, the real functioning of the cells gradually turn into cancerous.

Many complications can occur while undergoing cancer treatment, affecting the patient's health.

However, not every cancers are painful, and patients may have to endure some discomfort while undergoing cancer treatment. However, there are few prescription drugs and other strategies that can be used to treat cancer related pain. Cancer can cause tiredness and a variety of symptoms, but it is manageable. Fatigue can occur as a result of

radiation treatment or chemotherapy treatments, but it is usually temporary. Other complication cause of cancer related or cancer treatment is difficulty in breathing. Treatments, on the other hand, may provide relief, whereas some kinds of cancer and cancer treatment can cause nausea. Cancerous cells deprive normal cells of essential nutrients, which can lead to weight loss. Even if nutrients are delivered artificially through vein or stomach tubes, it has little effect on weight loss.




Fig.1. Statistics of cancer cases (Source: [32])

As shown in Fig.1. Cancer can also cause severe complications due to an imbalance in the human body's average chemical balance. Chemical imbalances may manifest as frequent urination, ²³²dilemma, massive thirst, and constipation. Cancer can have an impact on the body's immune system in some cases by attacking cancer cells rather than normal and fit cells. Paraneoplastic syndrome, a rare reaction, can cause a variety of symptoms and signs, including difficulty walking and seizures. Cancer has a significant impact on the working of that body part because it can press on nearby nerves. If it involves the brain, it can cause headaches, stroke-like symptoms, and possibly weakness on one side of the body . If somebody is viable in defeating cancer once, it may save one temporarily because cancer survivors are always at risk of recurrence. As a result, the patient must hear from doctor about the safety measures.

B. Clinical Applications

Doctors can build a future plan that includes various scans and examinations at regular intervals of time (fixed) (months or years) just after patient's treatment to know about radiation treatment: Cancer cells are targeted during radiation therapy. An outstanding hygenics and rationalistic understanding of the environmental and behavioural risk factors can prevent a significant proportion of cancer cases and deaths.



Cancer therapeutics currently ha the slowest clinical preliminary achievement rate of any major disease. Malignant growth will be the rooting cause to death in developed countries due to a lack of effective anti-cancer drugs. Cancerous growth, as a disease embedded in the fundamentals of science, present perplexing difficulties that would benefit from the collaboration of specialists from a wide cross-section of linked and unpremeditated fields. Along with causes, there are reasons & factors for determining the first stage of cancer. Early cancer detection leads to higher life expectancies, less mortality rates, and less expensive care. Three critical steps must be taken in a timely manner:

- Maintain vigilance and take precautions.
- Medical analysis, valuation, and staging.
- Work in the field of therapeutics.

Early detection is critical in all situations and for the majority of cancers. Programs can be designed to reduce wait times and barriers to care, allowing patients to receive treatment on time.

3 CURRENT CANCER PREDICTION METHODOLOGIES USED IN THE MEDICAL FIELD

The section provides a description of the clinical practises currently used in the health industry for cancer prediction. The following are the methodologies:

1. Screening: Screening sought to discover people with specific cancers or pre-cancers who have not developed symptoms and quickly refer them for evaluation and treatment. When tests are being used according with need and stage of cancer, screening can indeed be effective. Furthermore, monitoring is a more difficult protocol to follow than earlier detection. Screening is critical for obtaining an actual diagnosis. The main reason for each type of cancer is that each type requires a unique treatment plan that includes single or additional modalities including such chemotherapy, surgical techniques, and radiotherapy. The primary goal is to treat the tumour while significantly extending the patient's life because working to improve a persons life is also an incredible goal.

2. Chemotherapy: The primary goal of chemotherapeutics is to destroy cancer cells by using medicines that target quickly dividing cell lines. The drugs used it to shrink tumours have potentially fatal adverse effects .

3. Hormonal treatment: Hormone-level therapy is based on the body's reaction to a few hormones. Hormones play an important role in the treatment of prostate and breast cancer.

4. Treatments: Immunotherapy aims to boost the human immune response in order to fight cancerous cells. Immunotherapy includes checkpoint inhibitors and adoptive cell transfers.

Therapeutic approaches are used to avoid the growth of cancer and to boost immunity. Target therapies include small-molecule drugs and targeted therapy.

4 COMPARITIVE ANALYSIS

The section on comparative analysis highlighted the research of various researchers for cancer detection of disease using AI techniques.

Table.1.Comparitive Analysis of Various Researchers in Cancer Detection and Diagnosis

Authors	Cancer types	Training Data	Techniques	Challenges	Results
Mohsen et. Al [23]	Brain	Brain MR images	DNN with PCA and DWT	Requires large number of processors to process the data	Prediction rate =96.7% Precision = 97%
Eleyan et. Al [25]	Breast	Wisconsin- Breast cancer Data sets	KNN	Failed to work with Large Data sets	Precision =98.5%
Gupta et. Al [27]	Cervical	Pap Smear Images	ANN	Lower accuracy	Accuracy=78%
Hoerter et. Al [29]	Colorectal	Image net data base	CNN	Restricted to limited cases	Per-polyp sensitivity=78%
Han et.al [31]	Kidney	Renal-cell carcinoma	DNN	Accuracy, sensitivity, Specificity should be improved	Accuracy=85% Sensitivity=64% Specificity= 83%
Raj et.al [32]	Liver	CT images	SVM	Restricts access to Large Data sets and reduces efficiency	Accuracy more than 88%
Liu et. Al [34]	Prostate	MRI images	CNN	Works on limited Data set	AUC=0.84

Many research works have been analysed for cancer detection and diagnosis using traditional machine and deep learning methods, as shown in



the comparative analysis. It can be seen that the majority of deep learning techniques performed well enough and achieved high accuracy in terms of prediction scores obtained.

5 AI BASED TECHNIQUES FOR PREDICTION AND DIAGNOSIS OF CANCER

Artificial Intelligence has captured society’s imagination in recent years, sparking potential to improve our lives. AI is now being used extensively to improve disease recognition, management, and the efficacy of therapies. Because of the increasing number of cancer patients identified and the vast amount of data accumulated during the treatment process. It necessitates the use of artificial intelligence to improve oncologic care. Cancer prediction can reduce mortality. The section includes cancer diagnosis and prediction using various techniques.

C. Artificial intelligence techniques for expression by tumor rna

RNA sequence analysis aids in the early detection of cancer, increasing the likelihood of recovery. Deep learning approaches based on binary particle swarm optimization and convolutional neural networks can be used to identify various types of cancer based on RNA sequence gene, such as kidney renal clear cell carcinoma, breast invasive carcinoma, lung squamous cell carcinoma, and uterine endometrial carcinoma [1].




Fig. 2. Architecture of the proposed scheme

As shown in Fig.2. This can be done in a variety of phases and methodologies. To begin, the RNA sequence should be converted to 2D images using the best technique during pre-processing.




Fig.3. The Causes of Cancer

Fig.3. focusses on various causes of cancer. Furthermore, the following step is data augmentation in the proposed scheme. The dataset volume is increased to 5 times the original volume in this case, with the goal of having less impact on manipulating the features of obtained images in the initial phase. Label-preserving transformations can be used to accomplish this. Finally, a deep learning approach, convolutional neural network (CNN) architecture, can be implemented using a software package (MATLAB) in which convolutional layers and connected layers are used for feature extraction and to identify different types of cancer based on the images available.

D. Multi-Modal Fusion Method for Automatic Prediction of TP 53 Mutation

TP53 mutation is also known as Li-Fraumeni ²³⁴ syndrome. It is a genetic condition that can increase the risk of certain types of cancers [5].




Fig.4. Spiral-transform Coordinate System The midpoint of the spiral transformation is the coordinate origin O. And the spiral line was computed using, and r. Adapted from [5]

Fig.4. shows the spiral-transform coordinate system. The multi-Modal deep learning fusion method can be used for the automatic prediction of TP53 mutation. One such strategy is spiral transformation. A spiral transformation algorithm can be used on 3D images to obtain 2D images from the available data and to effectively augment the



data. Later, A bilinear module Algorithm can be used for fine-grained prediction.

E. AI system of cancer rehabilitation using IOT

The nutrition consumed can influence one's risk of developing certain types of cancer [7]. The BAS algorithm can be integrated into the intelligent recommendation system of cancer rehabilitation medical plan using the IoT framework.




Fig.5. Basic Framework of medical Internet of things

Fig.5. Basic framework of medical IOT. CT images of cancer can be learned using an artificial intelligence algorithm, and a deep neural network model that detects cancer cells is trained; this is also useful for staged detection and treatment.

F. AI-Based Diagnosis For Cervical Lymph

Thyroid cancer, lymphoma, and esophageal cancer are some of the most common head and neck cancers that cause cervical lymphadenopathy [9]. An AI architecture for CEUS feature extraction and categorization was created using the point-wise gated Boltzmann machine (PGBM).




Fig.6. Architecture of the proposed system

Fig.6. shows the architecture of the proposed network. The PGBM used task-relevant and task-irrelevant hidden units for feature learning and feature selection, with the task-relevant units coupled to the support vector machine (SVM) to provide the likelihood for classification. The synthetic minority over-sampling technique is used

to improve the classification performance of an unbalanced data set.

G. Prostate Cancer Detection Using Deep Learning Technique

Fig.7. shows deep learning analysis in cancer detection. The prostate is a walnut-sized male reproductive gland that produces and secretes an alkaline fluid. The gland is located in the pelvis, between the rectum and the bladder on the posterior side, and is surrounded on the top side by sections of the urethra. Skeletal muscles run inside the body from the diaphragm to the apex. The part of the gland that is closest to the urethral sphincter. [11] The part closest to the bladder is referred to as the apex, while the rest is referred to as the base.




Fig.7. Deep Learning in Cancer Analysis

The four anatomical lobes of the prostate are the peripheral zone (PZ), transition zone (TZ), central zone (CZ), and anterior fibromuscular trauma, with the first three containing 70%, 5%, and 25% tissue, respectively. The latte contains no glandular tissue. According to research, the higher the count of glandular tissue, the greater the risk. Cancer is a global health issue that affects patients clinically and administratively.

235




Fig.8. Graphical representation of detection of cancer using deep learning and traditional techniques



Fig.8. shows the graphical representation of cancer using deep learning techniques. Cancer is more common in older adults who do not participate in physical activity. There are a variety of methods for diagnosing prostate cancer, including screening tests for urinary symptoms, which most men dislike because they cause persistent irritation. In contrast, many men go their entire lives without ever being diagnosed with prostate cancer. The digital rectal exam (DRE) was first used to screen for prostate cancer in the early 1990s. A significant reduction has been documented as a result of its implications. A significant reduction has been documented as a result of its implications. This screening test can also distinguish between cancerous and non-cancerous cells. The DRE can only detect cancers in the prostate's posterior section and cannot detect tumours in other areas or regions of the prostate. PSA (prostate-specific antigen) is a prostate cancer screening test.

H. Breast Cancer detection using Neural Networks

Breast cancer is a type of cancer that develops in the breast cells and is a relatively common cancer in women. Breast cancer, like lung cancer, is a fatal disease for women [16].

Fig.9. shows the data set images of the breast cancer analysis. A convolutional neural network (CNN) method for assessing hostile ductal carcinoma tissue zones in whole-slide images (WSIs) is proposed to improve the automatic detection of breast cancer. It looks at a proposed system for automatically detecting breast cancer that uses several convolutional neural network (CNN) designs and compares the results to those obtained using machine learning (ML) algorithms. Image processing techniques are used in mammography analysis to generate imaging biomarkers based on artificial intelligence technology to detect breast cancer in its early stages, assisting in the diagnosis and prioritisation of high-risk patients. With an accuracy of 95.83 percent, a generalised regression artificial neural network was trained and tested to differentiate malignant and benign tumours on mammograms. Using the biomarker and trained neural net, a computer-aided diagnosis method is being developed. According to the findings, a generalised regression artificial neural network is a viable and reliable technique for detecting breast cancer.




Fig.9. Data set images for breast cancer analysis

6 CONCLUSION

This review study attempts to summarize the various research directions for AI-based cancer prediction models. AI has marked its significance in the area of healthcare, especially cancer prediction. A critical and analytical examination of current state-of-the-art cancer diagnostic and detection analysis approaches is done and—a thorough examination of the machine and deep learning models used in cancer early detection using medical imaging. AI techniques play an important role in early cancer prognosis and detection by ²³⁶ extracting and classifying disease features using deep learning and machine learning techniques. Our research found that the majority of past literature works used deep learning techniques, particularly Convolutional Neural Networks(CNN). Another important finding in our research is that the majority of studies have concentrated on data of breast cancer. When deep learning models are involved into pre-processed and segmented medical images, classification metrics such as AUC, Sensitivity, Dice-coefficient, and Accuracy are improved. Because less research has been done on both types of cancer, there is room for advancement in early detection. The federated learning model can also be used to detect cancer using distinct distributed datasets. This study focuses on the difficulties that researchers encountered while developing AI-based prediction models. Despite the fact that numerous fields of study have yielded significant results, there is still a need to address the challenges in cancer study in future.

REFERENCES

- N. E. M. Khalifa, M. H. N. Taha, D. Ezzat Ali, A. Slowik and A. E. Hassanien, "Artificial Intelligence Technique for Gene Expression by Tumor RNA-Seq Data: A Novel Optimized Deep Learning Approach," in *IEEE Access*, vol. 8, pp. 22874-22883, 2020, doi: 10.1109/ACCESS.2020.2970210.
- V Vytla, SK Ramakuri, A Peddi, KK Srinivas, NN Ragav "Mathematical models for predicting COVID-19 pandemic: a review" *Journal of Physics: Conference Series* 1797 (1), 012009.
- N. Yukinawa, S. Oba, K. Kato and S. Ishii, "Optimal Aggregation of Binary Classifiers for Multiclass Cancer Diagnosis Using Gene Expression Profiles," in *IEEE/ACM Transactions on Computational Biology and Bioinformatics*, vol. 6, no. 2, pp. 333-343, April-June 2009, doi: 10.1109/TCBB.2007.70239.
- S. Vadupu, K. S. Kandala, A. Peddi, N. S. Yadav, G. V. Kumar and P. A. HarshaVardhini, "Skin Pathology Detection Using Artificial Intelligence," 2021 6th International Conference on Signal Processing, Computing and Control (ISPC), 2021, pp. 373-376, doi: 10.1109/ISPC53510.2021.9609516.
- X. Chen, X. Lin, Q. Shen and X. Qian, "Combined Spiral Transformation and Model-Driven MultiModal Deep Learning Scheme for Automatic Prediction of TP53 Mutation in Pancreatic Cancer," in *IEEE Transactions on Medical Imaging*, vol. 40, no. 2, pp. 735-747, Feb. 2021, doi: 10.1109/TMI.2020.3035789.
- M. Kokuer, R. N. G. Naguib, P. Janclovic, H. B. Younghusband and R. C. Green, "Cancer Risk Analysis in Families With Hereditary Nonpolyposis Colorectal Cancer," in *IEEE Transactions on Information Technology in Biomedicine*, vol. 10, no. 3, pp. 581-587, July 2006, doi: 10.1109/TITB.2006.872054.
- Y. Han et al., "Artificial Intelligence Recommendation System of Cancer Rehabilitation Scheme Based on IoT Technology," in *IEEE Access*, vol. 8, pp. 44924-44935, 2020, doi: 10.1109/ACCESS.2020.2978078.
- M. Alawad et al., "Privacy-Preserving Deep Learning NLP Models for Cancer Registries," in *IEEE Transactions on Emerging Topics in Computing*, vol. 9, no. 3, pp. 1219-1230, 1 July-Sept. 2021, doi: 10.1109/TETC.2020.2983404.
- Q. Zhang, Y. Liu, H. Han, J. Shi and W. Wang, "Artificial Intelligence Based Diagnosis for Cervical Lymph Node Malignancy Using the Point-Wise Gated Boltzmann Machine," in *IEEE Access*, vol. 6, pp. 60605-60612, 2018, doi: 10.1109/ACCESS.2018.2873043.
- B. V. Kumar, K. K. Srinivas, P. Anudeep, N. S. Yadav, G. V. Kumar and P. A. HarshaVardhini, "Artificial Intelligence Based Algorithms for Driver Distraction Detection: A Review," 2021 6th International Conference on Signal Processing, Computing and Control (ISPC), 2021, pp. 383-386, doi: 10.1109/ISPC53510.2021.9609349.
- S. Iqbal et al., "Prostate Cancer Detection Using Deep Learning and Traditional Techniques," in *IEEE Access*, vol. 9, pp. 27085-27100, 2021, doi: 10.1109/ACCESS.2021.3057654.
- N. Karennagari, K. Yashwanth Reddy, V. K. Gurralla, K. Srinivas, A. Peddi and Y. Padma Sai., "Infection Segmentation of Leaves Using Deep Learning techniques to enhance crop productivity in smart agriculture," 2021 6th International Conference on Signal Processing, Computing and Control (ISPC), 2021, pp. 368-372, doi: 10.1109/ISPC53510.2021.9609379.
- J. T. Kwak and S. M. Hewitt, "Nuclear Architecture Analysis of Prostate Cancer via Convolutional Neural Networks," in *IEEE Access*, vol. 5, pp. 18526-18533, 2017, doi: 10.1109/ACCESS.2017.2747838.
- J. X. Qiu, H. -J. Yoon, P. A. Fearn and G. D. Tourassi, "Deep Learning for Automated Extraction of Primary Sites From Cancer Pathology Reports," in *IEEE Journal of Biomedical and Health Informatics*, vol. 22, no. 1, pp. 244-251, Jan. 2018, doi: 10.1109/JBHI.2017.2700722.
- R. S. Krishna, K. K. Srinivas, P. Anudeep and P. A. H. Vardhini, "Ear-Based Biometric System Using Artificial Intelligence," 2021 6th International Conference on Signal Processing, Computing and Control (ISPC), 2021, pp. 377-382, doi: 10.1109/ISPC53510.2021.9609409.
- M. A. S. A. Husaini, M. H. Habaebi, S. A. Hameed, M. R. Islam and T. S. Gunawan, "A Systematic Review of Breast Cancer Detection Using Thermography and Neural Networks," in *IEEE Access*, vol. 8, pp. 208922-208937, 2020, doi: 10.1109/ACCESS.2020.3038817.
- Y. Li et al., "Computer-Aided Cervical Cancer Diagnosis Using Time-Lapsed Colposcopic Images," in *IEEE Transactions on Medical Imaging*, vol. 39, no. 11, pp. 3403-3415, Nov. 2020, doi: 10.1109/TMI.2020.2994778.
- G. A. Chandra, K. K. Srinivas, P. Anudeep, S. R. Prasad, Y. Padmasai and P. Kishore, "Mental Health Disorder Analysis Using Convolution Neural Network Based Speech Signal Model With Integration Of Artificial Intelligence," 2021 4th International Conference on Recent Developments in Control, Automation & Power Engineering (RDCAPE), 2021, pp. 544-547, doi: 10.1109/RDCAPE52977.2021.9633637.
- S. H. Hawkins et al., "Predicting Outcomes of Non-small Cell Lung Cancer Using CT Image Features," in *IEEE Access*, vol. 2, pp. 1418-1426, 2014, doi: 10.1109/ACCESS.2014.2373335.
- P. Koganti, K. S. K, A. P, S. K. R, P. Kishore and S. R. Prasad, "Satellite based Road Tagger GPS Radio-Navigation system with Integration of Artificial Intelligence," 2021 4th International Conference on Recent Developments in Control, Automation & Power Engineering (RDCAPE), 2021, pp. 536-539, doi: 10.1109/RDCAPE52977.2021.9633626.
- R. Hajjo, "The Ethical Challenges of Applying Machine Learning and Artificial Intelligence in Cancer Care," 2018 1st International Conference on Cancer Care Informatics (CCI), 2018, pp. 231-231, doi: 10.1109/CANCERCARE.2018.8618186.
- J. Al-Enezi, M. F. Abbod and S. Al-Sharhan, "Artificial Immune Systems Applications in Cancer Research," 2011 Developments in E-systems Engineering, 2011, pp. 168-171, doi: 10.1109/DeSE.2011.36.
- Mohsen H, El-dahshan EA, El-horbaty EM, Salem AM (2018) Classification using deep learning neural networks for brain tumors. *Future Comput Inform J* 3(1):68-71. <https://doi.org/10.1016/j.fcij.2017.12.001>
- V. S. Sree, C. S. Koganti, S. K. Kalyana and P. Anudeep, "Artificial Intelligence Based Predictive Threat Hunting In The Field of Cyber Security," 2021 2nd Global Conference for



- Advancement in Technology (GCAT), 2021, pp. 1-6, doi: 10.1109/GCAT52182.2021.9587507.
- Eleyan A, Saliha O, Ikram G, Tolga E (2018) Breast cancer classification using machine learning. 2018 Electric Electronics, Computer Science, Biomedical Engineering's Meeting (EBBT), Istanbul, Turkey
- K. K. Srinivas, U. Vijitha, G. A. Chandra, K. S. Kumar, A. Peddi and B. S. Uppala, "Artificial Intelligence based Optimal Biometric Security System Using Palm Veins," 2022 International Mobile and Embedded Technology Conference (MECON), 2022, pp. 287-291, doi: 10.1109/MECON53876.2022.9752324.
- Gupta R, Sarwar A, Sharma V (2017) Screening of cervical cancer by artificial intelligence based analysis of digitized papanicolaou-smear images. *Int J Contemp Med Res* 4(5):1-6
- P. Singh, K. K. Srinivas, A. Peddi, B. Shabarinath, I. Neelima and K. A. Bhagavathi, "Artificial Intelligence based Early Detection and Timely Diagnosis of Mental Illness - A Review," 2022 International Mobile and Embedded Technology Conference (MECON), 2022, pp. 282-286, doi: 10.1109/MECON53876.2022.9752219.
- Hoerter N, Gross SA, Liang PS (2020) Artificial intelligence and polyp detection. *Current Treatment Options Gastroenterol* 18(1):120-136. <https://doi.org/10.1007/s11938-020-00274-2>
- K. S. Kandala et al., "Artificial Intelligence based Techniques for COVID-19 Vaccinations – A Review," 2022 International Mobile and Embedded Technology Conference (MECON), 2022, pp. 337-342, doi: 10.1109/MECON53876.2022.9752112.
- Han S, Hwang SI, Lee HJ (2019) The classification of renal cancer in 3-phase ct images using a deep learning method. *J Digit Imaging* 32(4):638-643. <https://doi.org/10.1007/s10278-019-00230-2>Raj
- A, Jayasree M (2016) Automated liver tumor detection using markov random field segmentation. *ProcediaTechnol* 24:1305-1310. <https://doi.org/10.1016/j.protcy.2016.05.126>
- K. K. Srinivas, A. Peddi, B. G. S. Srinivas, P. A. H. Vardhini, H. L. P. Prasad and S. K. Choudhary, "Artificial Intelligence Techniques for Chatbot Applications," 2022 International Mobile and Embedded Technology Conference (MECON), 2022, pp. 292-296, doi: 10.1109/MECON53876.2022.9751887.
- Liu S, Zheng H, Feng Y, Li W (2017) Prostate cancer diagnosis using deep learning with 3D multiparametric MRI. *Medical imaging 2017: Comput Aid Diagn* 10134:1013428. <https://doi.org/10.1117/12.2277121>
- Kumar, Y., Gupta, S., Singla, R. et al. A Systematic Review of Artificial Intelligence Techniques in Cancer Prediction and Diagnosis. *Arch Computat Methods Eng* (2021).
- K. K. Srinivas, A. Peddi, S. K. Ramakuri, P. A. H. Vardhini, P. S. Avinash and R. Sirimalla, "Artificial Intelligence-Driven Techniques to Advanced Signals and Communication Systems," 2022 International Mobile and Embedded Technology Conference (MECON), 2022, pp. 307-310, doi: 10.1109/MECON53876.2022.9752011.
- K. K. Srinivas, P. Vangara, R. Thiparapu, R. Sravanth Kumar and K. A. Bhagavathi, "Artificial Intelligence based Forecasting Techniques for the Covid-19 pandemic," 2022 International Mobile and Embedded Technology Conference (MECON), 2022, pp. 297-301, doi: 10.1109/MECON53876.2022.9752240.
- J. Kuppala, K. K. Srinivas, P. Anudeep, R. S. Kumar and P. A. H. Vardhini, "Benefits of Artificial Intelligence in the Legal System and Law Enforcement," 2022 International Mobile and Embedded Technology Conference (MECON), 2022, pp. 221-225, doi: 10.1109/MECON53876.2022.9752352.

